General Purpose Water Baths

Water Baths. Simplicity and consistency in economy or digital.

Basic lab equipment doesn't have to be rudimentary. PolyScience General Purpose Water Baths are a sleek, cleanly designed addition to your bench offering absolute control, precision and convenience. Operation is totally straightforward. Not only can you set temperatures of up to 100°C, but you can also clearly view the readout on a bright LED display that allows you to recall your set-point temperature with just the press of a button. In addition, you can store up to three temperature set-points that you use most often.

You'll also appreciate the user-friendliness we've built in. Like the steeply gabled, polycarbonate cover that accommodates glassware of varying heights, tilts out of the way when you're loading or unloading samples and allows condensate to drain neatly back into the bath. Not on your work surface.

PolyScience Water Baths, available in a range of capacities from 2 liters to 28 liters in both economy and digital models, provide the perfect blend of scientific accuracy and utility for day-to-day laboratory tasks.







86-87 Digital

90-91 General Purpose Water Bath Accessories



General Purpose Water Baths - Digital

PolyScience General Purpose Water Baths offer excellent temperature control, range, and uniformity. Easy to use Digital Temperature Controller features three temperature presets for one-touch selection of frequently used set-points plus a user-settable high limit alarm that alerts you if the bath temperature exceeds pre-set limits.

Key Specifications

Ambient +5° to 100°C Temperature Range:

Temperature Uniformity: ±0.2°C Temperature Stability: ±0.25°C



Features:

- · Hinged gable cover
- Digital Temperature Controller with 3 pre-sets for frequently used temperatures
- Calibration capability
- Local lockout helps prevent unauthorized set-point changes
- · Reservoir sizes from 2 to 28 liters
- Primary and automatic safety thermostats
- Shaking bath option (20 L and 28 L baths)



Adjustable pre-sets make selecting commonly used temperatures as simple as pressing a button.



See-through gable cover accommodates flasks and other tall sample vessels, tilts out of the way when opened to allow condensate to drain back into the bath.



Digital 2 Liter: +100°C



Digital 2 Liter Shallow: +100°C



Digital 5 Liter: +100°C



Digital 10 Liter: +100°C

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 3.9 x 4.3 x 5.5" 9.9 x 10.9 x 14 cm

Overall Dimensions (L x W x H): 10.2 x 8.0 x 11.8" 25.9 x 20.3 x 30 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 5 x 10.8 x 1.9" 12.7 x 27.4 x 4.8 cm

Overall Dimensions (L x W x H): 10.6 x 13.6 x 12" 26.9 x 34.5 x 30.4 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 5 x 10.8 x 5.5" 12.7 x 27.4 x 14 cm

Overall Dimensions (L x W x H): 10.6 x 13.6 x 12" 26.9 x 34.5 x 30.4 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 10.6 x 11.6 x 5.5" 26.9 x 29.5 x 14 cm

Overall Dimensions (L x W x H): 16.7 x 14.8 x 11.8" 42.4 x 37.6 x 30 cm



Digital 20 Liter: +100°C



Digital 28 Liter: +100°C

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 9.5 x 17.5 x 5" 24.1 x 44.5 x 12.7 cm

Overall Dimensions (L x W x H):

16.4 x 21.6 x 12" 41.5 x 54.8 x 30.5 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 9.5 x 17.5 x 7" 24.1 x 44.5 x 17.8 cm

Overall Dimensions (L x W x H):

16.4 x 21.6 x 14.1" 41.5 x 54.8 x 35.8 cm

| Reservoir | 2 Liter | 2 Liter Shallow | 5 Liter | 10 Liter | 20 Liter | 28 Liter | 20 Liter Shaker/Bath | 28 Liter Shaker/Bath |
|---------------------------|-----------------------|--------------------|----------|----------|----------|----------|-------------------------|-------------------------|
| Temperature Range | Ambient +5° to +100°C | | | | | | | |
| Heater (50 & 60 Hz) | 300 W | 300 W | 500 W | 500 W | 1000 W | 1000 W | 1000 W | 1000 W |
| Part Number 120 VAC/60 Hz | WD02A11B | WD2SA11B | WD05A11B | WD10A11B | WD20A11B | WD28A11B | WDS20A11B | WDS28A11B |
| Part Number 240 VAC/50 Hz | WD02A12E | WD2SA12E | WD05A12E | WD10A12E | WD20A12E | WD28A12E | WDS20A12E | WDS28A12E |

Electrical plugs for the part numbers listed are standard U.S. and European types. See page 128 for additional plug types and part numbers.

General Purpose Water Baths - Economy

PolyScience General Purpose Water Baths with the Economy Temperature Controller provide economical yet precise heating for laboratory applications which do not require frequent set-point changes.

Key Specifications

Ambient +5° to 100°C Temperature Range:

Temperature Uniformity: ±0.2°C Temperature Stability: ±0.25°C



Features:

- Economical dial type temperature controller
- · Hinged gable cover
- · Easy to clean stainless steel tank
- Reservoir sizes from 2 to 28 liters
- Shaking bath option (20 L and 28 L baths)
- Easy, straightforward setup/control

Shaker Bath Accessory

Features:

- For 20 and 28 liter PolyScience general purpose water baths
- User-selectable and adjustable orbital (2 to 12 mm diameter) or reciprocal (2 to 12 mm stroke length) motion
- Adjustable agitation speed (30 to 180 rpm)



| Fits Bath Size | 20 Liter | 28 Liter 17.5 x 26.25 x 18.5" 44.5 x 66.7 x 47 cm | | |
|------------------------------------|---|---|--|--|
| Platform Dimensions (L x W x H) | 17.5 x 26.25 x 16.5" 44.5 x 66.7 x 42 cm | | | |
| Part Number 120 VAC/60 Hz | 040671 | 040675 | | |
| Part Number 240 VAC/50 Hz | 040673 | 040677 | | |

Electrical plugs for the part numbers listed are standard U.S. and European types. Contact Customer Service for additional plug types and part numbers.



Economy 2 Liter: +100°C



Economy 2 Liter Shallow: +100°C



Economy 5 Liter: +100°C



Economy 10 Liter: +100°C

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 3.9 x 4.3 x 5.5" 9.9 x 10.9 x 14 cm

Overall Dimensions (L x W x H): 11 x 8 x 11.8" 27.7 x 20.3 x 30 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 5 x 10.8 x 1.9" 12.7 x 27.4 x 4.8 cm

Overall Dimensions (L x W x H): 11.4 x 13.6 x 12" 28.9 x 34.5 x 30.4 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 5 x 10.8 x 5.5" 12.7 x 27.4 x 14 cm

Overall Dimensions (L x W x H): 11.4 x 13.6 x 12" 28.9 x 34.5 x 30.4 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 10.6 x 11.6 x 5.5" 26.9 x 29.5 x 14 cm

Overall Dimensions (L x W x H): 17.5 x 14.8 x 11.8" 44.5 x 37.6 x 30 cm



Economy 20 Liter: +100°C



Economy 28 Liter: +100°C

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 9.5 x 17.5 x 5"

24.1 x 44.5 x 12.7 cm Overall Dimensions (L x W x H):

17.1 x 21.6 x 12" 43.4 x 54.8 x 30.5 cm

Temperature Range: Ambient +5° to +100°C

Working Access (L x W x D): 9.5 x 17.5 x 7"

24.1 x 44.5 x 17.8 cm Overall Dimensions (L x W x H):

17.1 x 21.6 x 14.1" 43.4 x 54.8 x 35.8 cm

| Reservoir | 2 Liter | 2 Liter Shallow | 5 Liter | 10 Liter | 20 Liter | 28 Liter | 20 Liter Shaker/Bath | 28 Liter Shaker/Bath |
|---------------------------|-----------------------|--------------------|----------|----------|----------|----------|-------------------------|-------------------------|
| Temperature Range | Ambient +5° to +100°C | | | | | | | |
| Heater (50 & 60 Hz) | 300 W | 300 W | 500 W | 500 W | 1000 W | 1000 W | 1000 W | 1000 W |
| Part Number 120 VAC/60 Hz | WA02A11B | WA2SA11B | WA05A11B | WA10A11B | WA20A11B | WA28A11B | WAS20A11B | WAS28A11B |
| Part Number 240 VAC/50 Hz | WA02A12E | WA2SA12E | WA05A12E | WA10A12E | WA20A12E | WA28A12E | WAS20A12E | WAS28A12E |

Electrical plugs for the part numbers listed are standard U.S. and European types. See page 128 for additional plug types and part numbers.

General Purpose Water Bath Accessories

| | Digital Water Baths | Economy Water Baths | ShakingWater Baths | Quantity | Part Number |
|---|---------------------|---------------------|--------------------|---------------|-------------|
| Thermometer (-20 to +150°C) alcohol, non-calibrated | • | • | • | 1 each | 099590 |
| Thermometer Holder | • | • | • | 1 each | 700-437 |
| Concentric Rings (4 rings per hole): 3/4" (1.9 cm), 1 3/8" (3.5 cm), 2 1/8" (5.4 cm), 3 1/8" (7.8 cm) | | | | | |
| Concentric Ring Cover for 10 L: 4-hole cover with 4 ring sets | • | • | | 1 set | 040678 |
| Concentric Ring Cover for 20/28 L: 6-hole cover with 6 ring sets | • | • | | 1 set | 040679 |
| Concentric Ring Set, replacement (4 rings) | • | • | | 1 set | 040649 |
| Floating Ball Cover: Covers top of tank, reducing heat loss by 75% and evaporation by 87%. Also reduces fumes and splashing hazards. 3/4" (20 mm) diameter, 400/package | • | • | | 1 package | 060301 |
| TEST TUBE RACKS FOR GENERAL PURPOSE BATHS | | | Maximum | Racks per Tar | nk |
| | 5 L | 10 L | 20 L | 28 L | Part Number |
| Stainless Steel Rack, 10-13 mm, holds 15 maximum | 2 | | | | 510-672 |
| Stainless Steel Rack, 14-18 mm, holds 15 maximum | 2 | | | | 510-673 |
| Stainless Steel Rack, 10-13 mm, holds 30 maximum | | 3 | 3 | 3 | 510-674 |
| Stainless Steel Rack, 14-18 mm, holds 30 maximum | | 3 | 3 | 3 | 510-675 |
| FLASK HOLDERS FOR SHAKING BATHS | | | | | |
| | M | laximum p | er Sample | e Tray | |
| | 2 | 0 L | | 28 L | Part Number |
| 1000 ml | | 4 | | 4 | 040810 |
| 500 ml | | 4 | | 4 | 040808 |
| 250 ml | | 6 | | 6 | 040806 |
| 125 ml | | 8 | | 8 | 040804 |
| 50 ml | | 24 | | 24 | 040802 |
| 25 ml | | 48 | | 32 | 040800 |

| BATH FLUIDS ¹ | | | | | | |
|---|--|---------------------------------|-------------------------------|-------------|--|--|
| Name | Description | Temperature Range | Quantity | Part Number | | |
| | Prevents growth of algae, keeps baths clean and odor-free. Cleans existing algae and | | 8 oz (237 ml) 004-300 | | | |
| prevents future outbreak. Concentrated: 8 oz (237 ml) treats approximately 200 gallons (757 L). | | n/a | case = 12 x 8 oz (237 ml) | 004-300041 | | |
| | For cleaning and removing rust and mineral | | 8 oz (237 ml) | 004-300050 | | |
| polyclean BATH CLEANER | deposits from stainless steel and polycarbonate tanks. Concentrated: 8 oz (237 ml) treats approximately 16 gallons (60.6 L). | n/a | case = 12 x 8 oz (237 ml) | 004-300051 | | |
| polytherm M170 | Mid-range oil provides cost-effective alternative to silicone oil. For use in stainless steel and polycarbonate tanks. | 50° to 170°C (122° to 338°F) | 1 gallon (3.8 L) | 060321 | | |
| polyclear MIX 30 | General purpose fluid for routine applications above 15°C; prevents algae growth. | 15° to 90°C (59° to 194°F) | case = 5 x 1/2 gallon (1.9 L) | 004-300062 | | |

^{1.} For all fluids except cleaners, check bath system compatibility before using.

